

SERIAL NO: _____

AI
ALUMINIUM 7020



CE

Customer Contact Details

Customer Name: _____

RGK Genius: _____

Address: _____

Phone: _____

Email: _____

Ship to Customer Address: ☐

Shipping Name: _____

Shipping Address: _____

Phone: _____

Email: _____

Additional Information

Notes: _____

Current Wheelchair: _____

Customer Weight: _____

Customer Height: _____

Customer Disability: _____

Other

VAT Exemption Declaration (UK Only):

I declare that I am chronically sick or disabled by reason of:

and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified herein and I claim relief from Value Added Tax under group 12 of schedule 8 to Value Added Tax Act 1994.

Signature: _____ Date: _____

RGK Contact Authorisation:

From time to time, RGK would like to send you exclusive information, news and offers on everything RGK, by email or post. We will not pass any of your details to any third party.

I would like to be contacted by RGK: ☐

Signature: _____ Date: _____

Guide:

☒ Base product

☒ Required option

☐ Optional Extra



Critical Information




Information Needed

PRODUCT STYLE

- ☐ PDAXZ010 PREDATOR
\$8,899.00
- ☐ XA600 Heat treated frame
- ☐ XA240 Loose build fitting process
\$488.00

Max User Weight 125kg (275lbs)

PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM



CAD APPROVAL





CAD approved by: ☐ Customer ☐ RGK Genius

- ☐ XW009 QUOTE ONLY (NO CAD FOR APPROVAL)
\$0.00
- ☐ XW012 QUOTE CAD drawing for approval
\$483.00 (2 customer amendments ONLY)

- ☐ XW011 ORDER (NO CAD FOR APPROVAL)
\$0.00
- ☐ XW010 ORDER CAD drawing for approval
\$299.00 (2 customer amendments ONLY)

KEY MEASUREMENTS

- ☒ XY010 Seat width *(Inside to inside of sideguards)*
 mm in
(Max - 500mm)
(Min - 250mm)
- ☒ XY020 Seat length
 mm in
(Max - 500mm)
(Min - 250mm)
- ☐ XY030 Extra seat length *(Provides additional leg support & hand grip)*
 mm in
- ☒ XY050 Front frame height
 mm in
- ☒ XY060 Rear frame height
 mm in
(Min - 280mm)
- ☒ XY070 Frame length
 mm in
(Min = XY020 + XY030 + 140mm)
- ☐ XA020 Ergonomic seat
\$96.00
Specify length
 mm in
(Standard = 120mm)



FRONT FRAME AND SEAT


Front Frame Options (Choose One)

☐ XA061 Seat taper V-front design

Specify taper width
 0 mm in

Specify front width

(Std = 200mm)



☐ XA130 V-seat design
 \$255.00

Specify taper width
 0 mm in

Specify front width

(Std = 200mm)

**NOTE: INSIDE TO INSIDE
 WHEEL (XY470) REQUIRED**

FOOTREST

Fixed Footrest

☐ PDAXB080 Fixed position footrest

Height and Position

☐ Front footrest height
 0 mm in

(min = 35mm)




☐ Rear footrest height
 0 mm in

(min = 35mm)



☐ Footrest position
 (front of footplate to castor pot)


0 mm in



Footrest Size (Not ABS)


☐ Footrest width
 0 mm in

(Std = 200mm)



☐ Footrest length
 0 mm in

(Std = 250mm)



Footrest Plate

☐ XB180 Aluminium footplate 2.5mm

☐ XB100 ABS moulded foot tray
 \$148.00

Specify length

0 mm in Max = 380mm (Full)
 Std = 330mm

☐ PDAXB140 Spacer kit
 \$22.00 (Allows for 25mm increase in height)

Adjustable Footrest

☐ XA130 Adjustable position footrest
 \$385.00 (Heavy duty)

Height and Position

☐ Front footrest height
 0 mm in

(min = 40mm)




☐ Rear footrest height
 0 mm in

(min = 40mm)



☐ Footrest position
 (front of footplate to castor pot)

0 mm in



Footrest Size (Not ABS)


☐ Footrest width
 0 mm in

(Std = 200mm)



☐ Footrest length
 0 mm in

(Std = 250mm)



Footrest Plate

☐ XB180 Aluminium footplate 5mm

☐ XB100 ABS moulded foot tray
 \$148.00

Specify length

0 mm in Max = 380mm (Full)
 Std = 330mm

Footrest Plate Options

☐ XB240 Aluminium raised edges
 \$87.00 (Cost per Edge)

☐ Front ☐ Back ☐ Left ☐ Right

Specify height


0 mm in (Max = 60mm)

Castor Pin Width

☒ XY330 Castor pin width
 0 mm in



☐ Optimise measurements




CAMBER BAR, WING AND ANTI-TIP

Fixed Centre of Gravity

☒ PDAXY510 Fixed centre of gravity



(dimension taken from front of back rest to centre of axle)



Specify Camber Angle

☒ XY390 Camber angle

18

☒ (5/8" axle diameter only)

Wing Options (Choose one)

☐ PDAXA126 **Defensive** rugby wing

☐ PDAXA127 **Offensive** rugby wing
\$1,232.00 (select options below)


☐ Full upper wing

☐ Partial upper wing

☐ Full lower wing

☐ Partial lower wing

Wing details/drawings (use page 9 if req'd)



Picker Options (Choose one)

☐ PDAXA400 **Defensive** rugby picker bolt on
\$1,005.00 (Draw requirements in opposite box)

☐ PDAXA450 **Offensive** rugby picker fixed
\$301.00 (Draw requirements in opposite box)


Specify width (max 200mm)

mm in

Specify depth

mm in

Picker details/drawings (use page 9 if req'd)



Anti-tip options

☒ PDAXJ060 Anti tip double sport welded

☐ XJ300 Anti tip low mount cross bar
\$91.00

☐ PDAXJ200 Anti tip aluminium welded plate covers
\$401.00

☐ PDAXJ210 Anti tip plastic plate covers
\$294.00

SIDEGUARDS

Sideguard Style

- ☐ PDAXE230 Welded aluminium sport
\$431.00
- ☐ XE310 High design upgrade
\$202.00
(Only with option PDAXE230)



- ☐ XE030 Screw on aluminium
\$202.00
- ☐ PDAXE250 Welded aluminium tubes only
\$202.00

Sideguard Measurements

- ☐ Sideguard length
0 mm 0 in



- ☐ Sideguard height
0 mm 0 in



- ☐ Individual above tyre
(Follow tyre)
0 mm 0 in




- ☐ Individual below tyre
(Follow tyre)
0 mm 0 in



- ☐ Level with tyre
(Follow tyre)


Sideguard Design (Choose One)



Straight design

☐


Round design

☐



Follow tyre

☐


BACKREST

Backrest Height (Choose One)

- ☐ XY230 Fixed backrest height
-  Specify height
0 mm 0 in




- ☐ XY245 Adjustable backrest height
\$152.00
(+/-25mm)
-  Specify height
0 mm 0 in



Ergonomic Options


- ☒ XY360 Backrest angle
- 5 -3 0 +3 +5
☐ ☐ ☐ ☐ ☐
- Individual
(Max -10/+10 Deg)




- ☐ XG100 Ergonomic backrest
\$92.00
- Vertical height
0 mm 0 in
- Rearward position
0 mm 0 in



- ☐ XG110 Inward taper
\$92.00
(inside of backrest posts)
- Specify width or per side
0 mm 0 in



- ☐ XG120 Outward flare
\$92.00
(inside of backrest posts)
- Specify width or per side
0 mm 0 in



CASTOR AND REAR WHEELS

Castor Wheels & Forks

- | | |
|---|---|
| ☐ XC160 Sport 61mm castor
(Black) | ☒ XC200 Sport micro fork
(Black) |
| ☐ XC170 Sport 72mm castor
(Black) | ☒ XC181 Castor wheel bearing Bones Reds |

REAR WHEELS

Rear Wheel Size

- ☐ XY420 24" Wheels ☐ XY430 25" Wheels

Wheel Gap (Choose one)

☐ XY460 Rear wheel gap

! -10 -5 0 5 10 15

Individual mm in



OR

! mm in

NOTE: REQUIRED FOR V SEAT AND TAPER



Rear Wheel Options

- | | |
|---|--|
| ☐ XK331 Spinergy SLX R10 heavy duty 24 spoke
(Defensive & Offensive) | ☐ PDAXK333 Spinergy XSLX R10 heavy duty 24 spoke
\$85.00 (Offensive) |
|---|--|

Spinergy Colour Options

- | | | |
|--|--|--|
| ☐ Black spokes | ☐ White spokes | ☐ Yellow spokes |
| ☐ Red spokes | ☐ Blue spokes | ☐ Pink spokes |
| ☐ Purple spokes | ☐ Orange spokes | ☐ Green spokes |

- ☐ XK180 Individual spoke design
\$201.00 (Specify colour)

Inside:

Outside:

Supply Without Wheels

- ☐ PDAXK040 Supply without Wheels
-\$747.00



Handrim Position / Options

- | | |
|--|---|
| ☐ XL075 Narrow set handrim
\$122.00 (10mm gap with tabs cut off) | ☐ XL085 On rim handrim
\$289.00 (No gap, tabs cut off) |
| ☐ XL080 Super narrow set handrim
\$233.00 (5mm gap with tabs cut off) | |

Handrim Style

- | | |
|--|---|
| ☐ XL010 Aluminium hard anodised 6 tab | ☐ XL200 Red Rubber Coated
\$591.00 |
| ☐ XL070 Aluminium hard anodised 12 tab
\$116.00 (24" not available) | ☐ XL050 Stainless steel 6 tab
\$152.00 |

Handrim spokeguard Options

- | | |
|--|---|
| ☐ XL500 Spokeguard poly dish offensive
\$405.00 (riveted to hand rim) | ☐ XL505 Spokeguard poly dish defensive
\$322.00 (mounted to wheel rim) |
| | ☐ XL515 Spokeguard poly dish raised defensive
\$508.00 (Only with XL200 and XK331) |

Tyre Options

- | | |
|---|---|
| ☐ XM010 Kenda ☐ Grey ☐ Red ☐ Blue | ☐ XM080 Tufo MS3 tubeless
\$95.00 |
| ☐ XM075 Kenda Kaliente ☐ Red ☐ Blue | ☐ XM090 Tufo MS3 tubeless
\$95.00 (24" only) |

Spare Wheel

- | | |
|--|--|
| ☐ PDAXK500 Spare wheel Spinergy
\$1,340.00 (All inclusive + axle pin) | ☐ PDAXK525 Spare wheel upcharge - On rim handrim
\$151.00 |
| ☐ XK524 Spare wheel upcharge - Individual Spoke Colour
\$96.00 | ☐ PDAXK510 Spare axle pin 5/8"
\$63.00 |

- ☐ XY500 Schraeder inner tube valve



- ☐ XY490 Presta inner tube valve
(Standard if no option selected)



FRAME FINISH

Frame Finish

☒ PDAXN040 Raw Frame

Accent Colour (Choose One)

Note: Accent colour includes, forks, castor caps, and decals.

☐ Black accent☐ Silver accent☐ XN250
\$197.00

Individual accent

☐ Red accent☐ Blue accent☐ Purple accent

UPHOLSTERY

Seat Upholstery

☒ PDAXP041 Seat sling strap adjustable HD

Backrest Upholstery

☒ PDAXP056 Airtech sport backrest strap adjustable HD☐ XP070 Backrest upgrade to leather corners
\$138.00 (not with XG080) (Black)☐ XP395 Nylon backrest centre pad

Backrest Accessories

☐ XP170 Individual backrest embroidery
\$156.00 PLEASE COMPLETE PAGE 9

CUSHION

Cushion Options (choose one)

- ☐ XP080 \$96.00 Cushion foam (select density and size below)
- ☐ Soft (CMS040) ☐ Medium (CMS050) ☐ Hard (9lb recon)
- ☐ 50mm ☐ 75mm ☐ 100mm ☐ Other mm in

Cushion Cover Upgrades

- ☐ XP085 Nylon cushion cover (Black)
- ☐ XP090 \$74.00 Air Lite cushion cover (Black)


STRAPPING

Velcro straps


- ☐ XS050 \$137.00 100mm Pro adjustable velcro strap
- ☐ XS055 \$137.00 50mm Pro adjustable velcro strap
- ☐ XS057 \$137.00 50mm Pro adjustable velcro **Knee** strap (measurement from tube to tube over knees)

Velcro strap position

☐ Strap 1



Specify strap length
 mm in




Specify distance from back post
 mm in

☐ Strap 1



Specify strap length
 mm in



Specify distance from back post
 mm in

Ratchet Straps

- ☐ XS020 \$93.00 Sport ratchet strap (Click strap)
- ☐ XS025 \$243.00 Pelvi Loc 2DA ratchet strap (For thighs and knees)

i Select size:
☐ Medium (12") ☐ Large (14")

- ☐ XS030 \$260.00 Pelvi Loc 3DA ratchet strap (For hips)


i Select size:
☐ Small (8") ☐ Medium (12")
☐ Large (14") ☐ Extra Large (17")

- ☐ XS035 \$155.00 M2 ratchet strap (For thighs and knees)

i ☐ 8" ☐ 10" ☐ 12"


Ratchet strap position

☐ Strap 1



Specify distance from back post
 mm in

☐ Strap 2



Specify distance from back post
 mm in

- ☐ XS040 \$97.00 Fixed mounting points (one set per click strap) ☐ x1 ☐ x2 ☐ x3

FRAME OPTIONS

- ☐ XR060 \$116.00 Calf strap mounting loops




- ☐ XR065 \$116.00 Strap location loops



BALL HOLDER

- ☐ XR300 \$114.00 Ball holder mounting points
Specify distance from back post



- ☐ XR310 \$197.00 Ball holder welded frame (please supply details on last page)

- ☐ XR320 \$137.00 Ball holder fabric (please supply details on last page)

ACCESSORIES

- ☐ XR030 \$116.00 Triple wheel bag (Black)

- ☐ XP130 \$104.00 Frame protectors full length

- ☐ XS070 Foot strap (select if required)

- ☐ XS060 Calf strap (select if required)

- ☒ XP400 Back bar protector

- ☒ XR090 Tool kit

ADDITIONAL NOTES

INDIVIDUAL BACKREST EMBROIDERY

PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW



BRACE BAR

SPEC NOTES:

☐

OFF SPEC REQUEST*

(please specify below the page number(s) and details to which the off spec request applies.

☐

OFF SPEC REQUEST

APPROVED *(for internal RGK office only)*

X

RGK Internal Sign-off

Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.*

Estimated MSRP*

\$ 0.00